WINDOW SYSTEMS & SLIDING GLASS DOORS

CAMELOT[®]





CAMELOT









SPECIAL





BOW

GARDEN

SLIDING GLASS









PROTECT YOUR PALACE.

Your home is your castle. **CAMELOT**[®] WINDOW SYSTEMS & SLIDING GLASS DOORS show a diversity of technologies and consistency of dedication to the same mission – the protection of your home and those you hold most dear, in timeless style.







TYPE GLASS COLOR GRIDS BAY | PREMIUM DOUBLE STRENGTH | COCOA/WH | NONE/COLONIAL CONTOUR





A Bay is an angular, multi-panel window, usually made up of a large center fixed unit and two flanking units, projecting out from the wall of the home. The three-window unit usually projects at 9, 15, 30, or 45 degree angles from the wall.

FEATURES



DESIGN & SERIES SPECIFIC FEATURES Bay windows can include Double Hung, Picture, or Casement, and will include respective features found with those window types and series.

OPTIONS

(OPTIONS ARE DETERMINED BY THE SPECIFIC SERIES & COMPONENTS SELECTED TO COMPRISE THIS PRODUCT.)



CONSTRUCTION



STEEL ROD & CABLE SUPPORT SYSTEM A threaded steel rod and cable support system work behind the scenes to maximize stability and strength throughout the life of your unit.*

CAME5

Choose your material:

- 1 BIRCH PLYWOOD (included in price)
- **2 RED OAK**
- **3 SOLID VINYL**

Due to the effects of heat, light, age and the printing process, samples shown here may vary slightly in color or sheen from the actual materials.

*Structural knee braces and/or NBP cable support systems are required for installation of windows projecting six (6) or more inches beyond the outside wall consistent with installation instructions. Failure to utilize structural knee braces and/or NBP cable support systems where required will void this Warranty. A pent roof/single slope surface is required above all bay/bow installations.



TYPE GLASS COLOR GRIDS BOW | PREMIUM DOUBLE STRENGTH | WHITE | COLONIAL CONTOUR

BOW



The Bow is recognized by its smooth, graceful curve along a consistent radius. Each window is equal sized, and the wider each window, the deeper the curve and projection from your wall line.

FEATURES



DESIGN & SERIES SPECIFIC FEATURES Bow windows can include Double Hung, Picture, or Casement, and will include respective features found with those window types and series.

OPTIONS

(OPTIONS ARE DETERMINED BY THE SPECIFIC SERIES & COMPONENTS SELECTED TO COMPRISE THIS PRODUCT.)



CONSTRUCTION



STEEL ROD & CABLE SUPPORT SYSTEM A threaded steel rod and cable support system work behind the scenes to maximize stability and strength throughout the life of your unit.*

CAM

Choose your material:

- 1 BIRCH PLYWOOD (included in price)
- 2 RED OAK
- **3 SOLID VINYL**

Due to the effects of heat, light, age and the printing process, samples shown here may vary slightly in color or sheen from the actual materials.

*Structural knee braces and/or NBP cable support systems are required for installation of windows projecting six (6) or more inches beyond the outside wall consistent with installation instructions. Failure to utilize structural knee braces and/or NBP cable support systems where required will void this Warranty. A pent roof/single slope surface is required above all bay/bow installations.





TYPE GLASS COLOR GRIDS
GARDEN | LOW-E | WHITE | NONE

VENTANA GARDEN (



Offering a unique solution when extra space or natural light comes at a premium, the Ventana Garden window will not disappoint. Creating an immersed viewing area, the Garden window achieves what no other window style can by increasing the space inside your home. Bring the world one step closer into your home.

FLEXSCREEN[™]

The high performance spring steel frame that is captured in the screen track can be easily removed from inside the home.

HEAVY-DUTY

HANDLES & CRANKS

ADJUSTABLE SHELF

brackets and standards.

for easy one-hand operation.

One or more adjustable glass

shelves with polished edges,





100% VIRGIN VINYL Fully welded, rigid PVC vinyl frame will not chip, rot or peel and will never need to be painted.

LOW-E GLASS Double-pane Low-E glass on Garden units help achieve an AAMA certified DP50 (R50) rating for units under 60.5"x60.5".

HEAVY-DUTY LOCK HANDLES With one simple, smooth lever action, our patented heavy-duty lock makes for easy operation. Made from die cast zinc.





HEAD & SEAT BOARD



- Choose your material:
- **1 BIRCH VENEER** (included in price)
- **2 OAK VENEER** (included in price)
- **3 WHITE PIONITE**
- **4 TAN PIONITE**





CAME .

BULB SEAL Added protection from water and air infiltration.

SPECIAL SHAPE

Q

 TYPE
 GLASS
 COLOR
 GRIDS

 SPECIAL SHAPE
 PREMIUM DOUBLE STRENGTH
 WHITE
 CTX-10
 CONTOUR

 \square



VENTANA SPECIAL SHAPE

Whether it's a focal point arch for your front entryway, or a porthole window for your outdoor changing room, **NBP** has your shape solutions. Take a look below to find that perfect shape for your home or office.



OPTIONS

COLOR

GRIDS (SEE ALL OPTIONS ON FOLLOWING FOUR PAGES.)

TRIM & CASING



TRIM BOARDS & BRICKMOULD Low-maintenance, long-lasting PVC trim boards & brickmould can make finishing easy and durable.



INTERIOR CASING & JAMB EXTENSION An excellent and low-maintenance alternative to wood for its resistance to moisture, rotting, cracking, insect infiltration.

Due to the effects of heat, light, age and the printing process, samples shown here may vary slightly in color or sheen from the actual materials.





VENTANA SPECIAL SHAPE



QA.35

0434

GA.36

GA3P

GA38

13



VENTANA SPECIAL SHAPE 🛆













SLIDING GLASS

Our premium sliding glass door provides your home with an entryway that is beautiful, durable and energy-efficient for years to come. Fully-welded tempered insulated sliding glass door available in two or three panels, right or left slide. Nominal sizes are 5', 6', 8', 9'. 12' is available in four panels.

STANDARD DP50 RATING^{*}

EASY OPERATION Heavy-duty adjustable rollers, up to 500lb.

EASY GLIDE Tempered aluminum sill track for easy glide.

TEMPERED GLASS

Tempered insulated glass with optional Solarban Low-E, or 1" internal blind glass with Low-E**.





100% VIRGIN VINYL Aluminum reinforced vinyl is maintenance-free, with reinforced mounting points, for increased structural integrity and exceeds the strength of ordinary designs.



COMFORT HANDLE Contoured shape premier handle set. MULTI-POINT LOCK Two lock positions with one turn of the key or thumbturn .

BETTERVUE

Extruded locking screen

fiberglass screen wire.

featuring Bettervue

SCREEN



DUAL-POSITION FOOT LOCK 2 positions possible for venting latch.



OPTIONS

(OPTIONS ARE DETERMINED BY THE SPECIFIC SERIES & COMPONENTS SELECTED TO COMPRISE THIS PRODUCT. FULL OPTIONS INFO ON NEXT PAGE.)

ADDITIONAL



BLINDS BETWEEN GLASS

Blinds are installed and enclosed between two panes of glass, with slide handles allowing easy raise/draw/tilt operation. This design keeps your blinds clean and protected.**

*Only for 5 and 6 ft. doors **Low-E internal blind glass only for 5 and 6 ft. doors



OPTIONS

COLOR STANDARD VINYL* Due to the effects of heat, light, age and the printing process, samples shown here may vary slightly in color or sheen from the actual materials.



GRIDS CONTOUR (C), WINDOW COLOR | FLAT (F), WHITE/ALMOND/COCOA| ELITE (E), PEWTER OR BRASS



HARDWARE



PERFORMANCE





Continuous commitment to environmental conservation and energy efficiency are key ingredients in our product offering. We work toward this goal by partnering with Energy Star and offering packages that increase the energy efficiency and performance of all our products. Environmental awareness is at the forefront of our work from design to the innovative creation of manufacturing practices which are aligned with our Core Values. For full NFRC information pertaining to products within this series and specific to your geographic location please visit **NBPwindows.com/learn/energy-efficiency**

"ENERGY STAR[®] is the government-backed symbol for energy efficiency, providing simple, credible, and unbiased information that consumers and businesses rely on to make well-informed decisions." **energystar.gov**

"The National Fenestration Rating Council is a non-profit organization that establishes objective window, door, and skylight energy performance ratings to help you compare products and make informed purchase decisions." **nfrc.org**

ADDITIONAL



BLINDS BETWEEN GLASS WITH LOW-E GLASS Blinds are installed and enclosed between two panes of glass, with slide handles allowing easy raise/draw/tilt operation.

This design keeps your blinds

clean and protected.



CUSTOM SIZING Custom sizing is available in 1/4" intervals for custom fitting of your opening.



STAINLESS COASTAL HARDWARE PACKAGE

Replace door hardware (mortise lock, keeper, door rollers, screen wheels) to better withstand salt water weather conditions.



FACTORY MULLING

The sliding glass door and transom and/or sidelite can be chosen to be factory mulled together for added strength and customization.



IMPACT CERTIFICATION

Produce your DP50 door with impact certification, at a maximum size of 96"x96".



SINCE 1975.





215.535.7110 • 4280 Aramingo Avenue • Philadelphia, PA 19124-5007 • **NBPwindows.com** Northeast Building Products Corp. and Camelot[®] Window Systems & Sliding Glass Doors are registered trademarks. All Rights Reserved.



